

**Metadata**

- "Metadata is data that describes other data. For example, the definition of a class is metadata"

Rumbaugh, J. et al, *Object Oriented Modeling and Design* [Prentice Hall, 1991]

Laboratorio di Ingegneria del Software L-A

5.2

**Why Have Metadata?**

- "Provided that a component comes with enough information to be self-describing, the interfaces supported by a component can be dynamically explored"

Szyperski, C.,  
*Component Software* [Addison-Wesley, 1998]

Laboratorio di Ingegneria del Software L-A

5.3

**C++ Metadata**

- A C++ **header file** may be considered **metadata**
- Clients can include this file at compile time to use the types it declares
- Clients then link with the types' definition
- C++ has also added support for **RTTI** (*Run-Time Type Information*), a very limited runtime metadata facility

Laboratorio di Ingegneria del Software L-A

5.4

## Interface Definition Language

- C++ headers files are language specific
- Providing information across different languages is a difficult issue
- COM and CORBA use the **IDL** (*Interface Definition Language*) to provide metadata
  - COM – Type Libraries
  - CORBA – Interface Repository

## COM IDL

```
import "oaidl.idl";
import "ocidl.idl";
#include "olectl.h"
[ object,
  uuid(29AABB7F-E702-11D2-89CF-004033412CFC),
  dual, helpstring("IPolyCtl Interface"),
  pointer_default(unique) ]
interface IPolyCtl : IDispatch
{
  [ propget, id(1),
    helpstring("property Sides") ]
  HRESULT Sides([out, retval] short *pVal);
  [ propput, id(1),
    helpstring("property Sides") ]
  HRESULT Sides([in] short newVal);
};
```

## IDL → Reflection

- **IDLs** are an additional requirement for developers to understand
- **Interface Repositories** and **Type Libraries** can be housed in separate files to the type they describe
- Java/.NET use **reflection**
- The metadata is generated from the type's definition
- The metadata is stored with the type's definition  
→ if you have the definition you have the metadata and vice versa

## Reflection



- Reflection can be used
  - To examine the details of an assembly
  - To instantiate objects and call methods discovered at runtime
  - To create, compile, and execute assemblies on the fly
- .NET classes that deal with providing reflection can be found in:
  - System
  - System.Reflection
  - System.Reflection.Emit



## System.Type

- Some methods:
  - `Type[] GetInterfaces();`
  - `MemberInfo[] GetMembers();`
  - `ConstructorInfo[] GetConstructors();`
  - `MethodInfo[] GetMethods();`
  - `FieldInfo[] GetFields();`
  - `PropertyInfo[] GetProperties();`
  - `EventInfo[] GetEvents();`
  - `object[] GetCustomAttributes();`

Esempio 5.2



## Esempio Enumerating all types in an Assembly

1. Use `Assembly.Load` to load a .NET assembly returns an `Assembly`
2. `Assembly.GetModules` returns an array of `Module`
3. For each `Module`, call `Module.GetTypes` returns an array of `Type`
4. For each `Type`, ...

Esempio 5.3

**Very late binding**

Laboratorio di Ingegneria del Software L-A

- Types may be instantiated and/or members accessed in a **very late bound manner**
  - Can instantiate type in memory, choosing constructor to call
    - `Activator.CreateInstance (...)`
  - Can invoke methods
    - `MethodInfo.Invoke (...)`
  - Can invoke property getters and setters
    - `PropertyInfo.GetValue (...)`
    - `PropertyInfo.SetValue (...)`
- Public members always accessible
- Non-public members accessible if callers hold sufficient permissions

**Esempio 5.4**

5.17

**System.Activator**

Laboratorio di Ingegneria del Software L-A

- Dynamically create instances
- `Activator.CreateInstance` is the late-bound equivalent to operator `new`
  - Allocates storage for new type instance
  - Calls specified constructor
  - Returns generic object reference
- `T1 t = (T1) Activator.CreateInstance(typeof(T1));`
- `T1 t = (T1) Activator.CreateInstance(typeof(T1), object[] args);`

**Esempio 5.5**

5.18

TECNICHE AVANZATE  
**Meta-Programming**

Laboratorio di Ingegneria del Software L-A

- "... the fundamental problem is always the same: preserve information available at compile time for inspection at runtime. Making such information about a system available within that system is called **reification**. Programming a system to not only use reified information but also to manipulate this information is called **meta-programming**. ...*meta-programming* can be used to dynamically create new classes, insert them into an existing inheritance graph and instantiate them"

Szyperski, C.,  
*Component Software* [Addison-Wesley, 1998]

- **Reificazione:** Concretizzazione di un'astrazione

**Esempio 5.19**

5.19

TECNICHE AVANZATE  
**Meta-Programming in .NET**

Laboratorio di Ingegneria del Software L-A

- A number of classes function together to achieve this goal in .NET
- By using the previous objects, and others, you can **build an assembly on the fly**
  - `Reflection.Emit` allows you to write out the IL necessary to **create and compile the assembly**
  - You can then **call this assembly** from with the program that created it
  - **The assembly can be stored to disk** so that other programs can use it

**Esempio 5.20**

5.20

TECNICHE AVANZATE

## Meta-Programming in .NET


- **System.Reflection**
  - **AssemblyName**  
Fully describes an assembly's unique identity
- **System.Reflection.Emit**
  - **AssemblyBuilder**  
Defines and represents a dynamic assembly
  - **ModuleBuilder**  
Defines and represents a module
  - **TypeBuilder**  
Defines and creates new instances of classes during runtime
  - **MethodBuilder**  
Defines and represents a method (or constructor) on a dynamic class
  - **ILGenerator**  
Generates Microsoft intermediate language (MSIL) instructions

Laboratorio di Ingegneria del Software L-A

5.21

TECNICHE AVANZATE

## Dynamically Creating a Type



Laboratorio di Ingegneria del Software L-A

5.22

**Esempio 5.6**

## Custom Attributes

- Are an easy way to **add information to the metadata** for any application element
  - Can be applied to an assembly using special syntax
- Can be used so that **clients can automatically pick up on certain functionality**
  - Are visible via reflection
- Are supported in any .NET language
- Are really just **common classes** that derive from **System.Attribute**
  - Can contain methods and properties

Laboratorio di Ingegneria del Software L-A

5.23

## Creating Custom Attributes

- Declare the attribute class
 

```
public class AuthorAttribute : System.Attribute
```
- Declare constructors
- Declare properties
- Apply the **AttributeUsageAttribute** (opzionale)
 

Specifies some of the characteristics of the class

  - The target of the attribute (**AttributeTargets**) – a quali elementi l'attributo è applicabile
  - Whether or not the attribute can be inherited (**Inherited**)
  - Whether or not multiple instances of an attribute can exist for an element (**AllowMultiple**)

Laboratorio di Ingegneria del Software L-A

5.24

**Esempio 5.7 – AuthorAttribute**

## Using Custom Attributes

- C# uses IDL-like syntax with [] prior to the definition of the target
- Attribute parameters passed
  - by **position** or
  - by **name**

```
[ Author("Bellavia",  
Contact="giuseppe.bellavia@unibo.it") ]
```

Primo argomento del costruttore

Nome di una proprietà

Esempio 5.7 – MyClass

## Accessing the Custom Attributes

- Once the custom attributes have been created, you use Reflection in order to read them
- You can get a list of custom attributes by calling the `GetCustomAttributes` method

```
object[] X.GetCustomAttributes(inherit);  
object[] X.GetCustomAttributes(attributeType, inherit);
```

`inherit` specifies whether to search this member's inheritance chain to find the attributes
- `X` è
  - un'istanza di
    - `Assembly`, `Module`
    - `MemberInfo`
    - `ParameterInfo`

Esempio 5.7